



CITY OF MILPITAS

Office of Building Safety
455 E. Calaveras Blvd.
Milpitas, CA 95035
408-586-3240
www.milpitas.gov

Policy:	BDP-BLG13
Effective Date:	11/12/2009
Proposed by:	OC
Last Reviewed/ Revised:	2/28/23
Reviewed/ Revised by:	JDS

POSTING OF PROTECTED ZONE IN INTERMEDIATE AND SPECIAL STEEL MOMENT-RESISTING FRAMES

Approved By:
Building Official

CODE REFERENCE (S):

ANSI/AISC 341-16 *Seismic Provisions for Structural Steel Buildings* – Sections D1.3, E2.5c, E3.5c, F2.5c, F3.5c, F4.5c

POLICY:

Posting at the protected zone of special, intermediate moment-resisting steel frames, special concentrically braced frames (SCBF), eccentrically braced frames (EBF) and buckling restrained braced frames (BRBF) is enforced.

See attached Sheet 1 for details for moment frames and refer to corresponding sections in ANSI/AISC 341-16 for SCBF, EBF & BRBF.

REV.	DATE	BY:	SCALE:
			N.T.S.
	DATE:		
	NOV 2009		

DRAWN BY:

BYC

REMOVED BY:

K/L/S/J/C/GA/BK

**POLICY FOR POSTING OF PROTECTED ZONE IN
INTERMEDIATE AND SPECIAL STEEL MOMENT-RESISTING FRAMES**

**SHEET
1
OF 1 SHEETS**

